

Autorenverzeichnis/Author Index

Abd El-Haleem S., s. El-Kot A. M.
Abou-Elenien G. M., Ismail N. A., El-din A. A. M.: Voltammetric studies on some substituted 5-arylidene-2-thiohydantoin in non-aqueous medium 1117
Aboutabl M. A., El-Ghar M. F. A., Fahmy M. M.: Polarographic behaviour of α - and γ -substituted acetooctanilide derivatives in alcoholic aqueous media 217
Abramović B. F., s. Jovanović L. S.
Adamcová J., s. Proksa B.
Ahorn H., s. Kalchhauser H.
Akçmur Y., s. Fabian W. M. F.
Akkurt M., s. Fabian W. M. F.
Al-Timari U. A. R., Fišera L., Ertl P., Goljer I., Prónayová N.: Preparation and stereoselectivity of 1,3-dipolar cycloaddition of C-glycosyl nitrones to N-arylmaleimides 999
Ali A. M., s. Ghandour M. A.
Alva-Astudillo M., s. Hennig L.
Aly A. A., Hassan A. A., Mohamed Y. S., Mourad A.-F. E., Hopf H.: Molecular complexes of cyclophanes, XVIII. Spectroscopic and thermodynamic studies on the charge-transfer complexes between 4-([2.2]paracyclophanoyl)amines and π -acceptors 179
Aly A. A. M., s. Osman A. H.
Ayad M. M., s. Gaber M.
Azab H. A., s. Ghandour M. A.
Azab H. A.: Polarographic study of the composition and stability constants of Pb(II) N-(2-acetamido) imino diacetate complexes 1107
Ba-Issa A. a. A., s. Gaber M.
Bahçeci Ş., s. İkizler A. A.
Bajc I., Milićev S., Volavšek B.: Über das Hydroxylammonium-Fluorotitanat(IV) 321
Barkov D., s. Gospodinov G.
Barnes J. C., Hunter G., Keller W., Paton J. D., Weissensteiner W.: Two different crystal and molecular structures for dicarbonyl-(η^2 -*cis*-cyclooctene)[η^6 -1,3,5-triethyl-2,4,6-tris-(trimethylsilyl)methyl]-benzene]molybdenum(0). A highly crowded but surprisingly stable molecule 443
Barros F. J. G., s. Callahorro C. V.
Bartsch H., s. Erker T.
Becker A., Buchbauer G., Winiwarter S., Wolschann P.: A rapid method for molecular shape comparison of medium-sized molecules. Conformational calculations on sandalwood odor 405
Belaj F., s. Schramm H. W., Schubert-Zsilavecz M., Schweiger K.
Benend H., s. Reimann E.
Beňovský P., s. Klán P.
Berényi S., s. Hosztafi S.
Beyer A., Kalchhauser H., Wolschann P.: Molecular modelling on garuganin-I 417
Bieniek A., s. Epszajn J.
Biza P., s. Junek H.
Bjelica L. J., s. Jovanovic L. S.
Bobleter O., s. Oefner P. J.
Bonn G., s. Oefner P. J.
Borsdorf R., s. Klein J.

Brandl G., Kastner F., Fritsch R., Zinner H., Mannschreck A.: Chiroptical detection during liquid chromatography, Part 5. On-line measurement of circular dichroism spectra during stops of chromatographic flow 1059

Brendler E., Thomas B., Schönherr S.: Untersuchungen zur Chlorokomplexbildung des Gallium(III)-Kations in wäßriger Lösung 285

Brunette J.-P., s. Sigit Goetz-Grandmont G. J.

Bruni P., Conti C., Giorgini E., Tosi G., Hopf H., Hillmer J.: Molecular associations of [2.2]paracyclophanearylhydrazones with organic acceptors, VIII 73

Brunn J., s. Ströhle D.

Brunner H., Forster S.: Determination of enantiomeric excess and degree of hydrogenation in the enantioselective hydrogenation of ketopantolactone 659

Brunner H., Kurzwart M.: Asymmetrische Katalysen, 73. Mitt.: Enantioselektive Decarboxylierung von Methylphenylmalonsäure-Derivaten mit Cu(I)/Alkaloid-Katalysatoren 121

Buchbauer G., s. Becker A.

Budzikiewicz H., s. Geisen K.

Callahorro C. V., Barros F. J. G., Diez A. D., García A. B., Rey E. S.: Metal complexes of 6-chloropurine 9

Cao R., Garcia A., Castell E.: QSAR of copper(II) complexes with cytotoxic properties 493

Cardillo B., Giorgino E., Maurelli E., Tosi G.: Molecular complexes of hydrazides with copper(II) 231

Carreón G., s. Cea-Olivares R.

Casado J., s. Izquierdo C.

Castell E., s. Cao R.

Cea-Olivares R., Toscano R. A., Carreón G., Valdés-Martínez J.: Complexes of In(III) with tetraphenylimidodiphosphinate ligands 391

Chingakule D. D. K., Gans P., Gill J. B., Longdon P. J.: Spectrochemistry of solutions, Part 23. Changes of enthalpy and entropy in the formation of contact ion pairs. A vibrational spectroscopic appraisal using thiocyanate and azide solutions 521

Chylova J., s. Krutosikova A.

Conti C., s. Bruni P.

Dandarova M., s. Krutosikova A.

Diez A. D., s. Callahorro C. V.

Duraković S., s. Sušnik I.

Dziemba P., s. Reisch J.

Edelsbacher A., Urban E., Weidenauer W.: Preparation of enantiomerically pure 5,6-dihydroxy-isobenzofuranones and 5,6-dihydroxy-4,7-methano-isobenzofuranones 741

Eichinger T., s. Neidlein R.

El-Ghar M. F. A., s. Aboutabl M. A.

El-Khososy N. A., s. Moustafa M. E.

El-Kot A. M., Abd El-Haleem S., Mohamed S.: Electrochemical polarization and passivation of iron in acid solutions 965

El-Sayed A. Y., s. Zaki M. T. M.

El-Torgoman A. M., Motawia M. S., Kjaersgaard U., Pedersen E. B.: New route for the synthesis of 2-thiouracil analogues of 3'-azido-2',3'-dideoxy nucleosides 355

Elbanowski M., s. Plaziak A. S.

Eldin A. A. M., s. Abou-Elenien G. M.

Elguero J., s. Hoz A. de la

Epszajtajn J., Bieniek A., Kowalska J., Ścianowski J.: Application of organolithium and related reagents in synthesis, Part X. Metallation - electrophilic substitution sequence of secondary chlorobenzamides 1125

Erker T., Bartsch H.: Studien zur Chemie von O,N- und S,N-haltigen Heterocyclen, 14. Mitt.: Tricyclische

1,5-Benzothiazepine aus 2,3-Dihydro-1,5-benzothiazepin-4-amin 1023
 Ertl P., s. Al-Timari U. A. R.
 Ević N. J., s. Jovanović L. S.

Fabian W. M. F., Kollenz G., Akcmur Y., Kök T. R., Teczan M., Akkurt M., Hiller W.: Reaktionen cyclischer Oxalylverbindungen, 34. Mitt.: Synthese von Dibenzoylacet-N-carboxyalkylamiden und semiempirische Rechnungen zur Keto-Enol Tautomerie 265
 Fahmy M. M., s. Aboutabl M. A.
 Falk H., Frühwirth M.: On the chemistry of pyrrole pigments, LXXXIX. Vinylogous linear di- and tetrapyrroles 1213
 Falk H., Hemmer D.: On the chemistry of pyrrole pigments, LXXXVIII. Nonlinear optical properties of linear oligopyrroles 779
 Falk H., Meyer J., Oberreiter M.: De-protonation and protonation of hydroxyphenanthroperlylenes 277
 Falk H., Schmitzberger W.: On the nature of "soluble" hypericin in *Hypericum* species 731
 Falk H., Schoppel G.: On the synthesis of hypericin by oxidative trimethyllemodin anthrone and emodin anthrone dimerization: isohypericin 931
 Falk H., s. Hackl K. A.
 Fišera Ľ., s. Al-Timari U. A. R.
 Fleischhacker W., Richter B.: 14,17-Ethano-norcodeinone 837
 Fleischhacker W., s. Köhl M.
 Forster S., s. Brunner H.
 Fritsch R., s. Brandl G.
 Fritz H. P., Rüger V.: Electrochemical deposition of copper phosphides 397
 Frühwirth M., s. Falk H.
 Fuska J., s. Proksa B.
 Gaál F. F., s. Jovanović L. S.
 Gaber M., Mabrouk H. E., Ba-Issa A. a. A., Ayad M. M.: Synthesis and characterization of Co(II), Ni(II), and Cu(II) complexes of salicylal-4-aminoantipyrine and 2-hydroxy-1-naphthol-4-aminoantipyrine and their adducts 1089
 Gałdecki Z., Luciak B., Kaczmarek K., Leplawy M. T., Redliński A. S.: Synthesis, crystal structure and conformation of N-acetyl-C^{u,a}-diethylglycine-N'-methylamide 993
 Gans P., s. Chingakule D. D. K.
 Garcia A., s. Cao R.
 García A. B., s. Callahorro C. V.
 Geisen K., Taraz K., Budzikiewicz H.: Neue Siderophore des Pyoverdin-Typs aus *Pseudomonas fluorescens* 151
 Geringer M., s. Junek H.
 Gewald K., Hain U.: Substituierte 3-Amino-thiophene und 3-Amino-selenophene aus β -Chlor- α -cyan-zimtsäurenitril 455
 Ghandour M. A., Azab H. A., Hassan A., Ali A. M.: Potentiometric studies on the complexes of tetracycline (TC) and oxytetracycline (OTC) with some metal ions 51
 Ghandour M. A., Azab H. A., Hassan A., Ali A. M.: Voltammetric studies on composition and stabilities of complexes of tetracycline and oxytetracycline with some metal ions in aqueous medium 853
 Giester G.: The crystal structure of $\text{Fe}(\text{SeO}_2\text{OH})(\text{SeO}_4)\cdot\text{H}_2\text{O}$ 957
 Gill J. B., s. Chingakule D. D. K.
 Giorgini E., s. Bruni P., Cardillo B.
 Glavas S., s. Mineshos G., Roumelis N.
 Goetz-Grandmont G. J., s. Sigit
 Golen J. A., s. Otočan K.
 Goljer I., s. Al-Timari U. A. R.
 Gospodinov G., Barkov D.: Phasenverhältnisse der Selenate im Dreistoffsysteem $\text{Ti}_2\text{O}_3 - \text{SeO}_3 - \text{H}_2\text{O}$ bei 100 °C 701
 Griechl C., Ströhl D., Jeschkeit H., Kleinpeter E.: Synthetische und

NMR-spektroskopische Untersuchungen der Benzylaminaddition an N-Maleyl-aminosäurederivaten 647

Gustav K., Storch M.: Vibronisches Spektralverhalten von Molekülen, XX. Theoretische Untersuchung der $S_2 \leftarrow S_0$ -Absorption des Pyrens im Rahmen der Herzberg-Teller-Näherung erster Ordnung 59

Gutiérrez A. R., s. Párkányi C.

Gutmann V., s. Strauß B.

Györgydeák Z., s. Holzer W.

Hackl K. A., Falk H.: The synthesis of N-substituted ureas, I. The N-alkylation of ureas 599

Hackl K. A., Falk H.: The synthesis of N-substituted ureas, II. Nucleophilic substitution of ureas at the carbonyl group 607

Hafez N., s. Zaki M. T. M.

Hain U., s. Gewald K.

Hajós G., s. Riedl Z.

Hamdi S. T.: The mass spectral fragmentation of copper(II) complexes of cyclic β -diketones 1081

Hartmann J., s. Kleinpeter E.

Hassan A., s. Ghandour M. A.

Hassan A. A., s. Aly A. A.

Hemmer D., s. Falk H.

Hendrix J. L., s. Pollema C. H.

Hennig L., Alva-Astudillo M., Mann G., Kappe T.: New aspects in the reaction of azomethines with cyclic CH-acidic compounds 571

Henning H.-G., Mazunaitis G.: [2 + 2]-Photocycloaddition von Cyclohexen an 2-Acetyl-5,5-dimethyl-1,3-cyclohexandion und 3-Acetyl-1,5,5-trimethyl-2,4-pyrrolidindion 93

Hiller W., s. Fabian W. M. F.

Hillmer J., s. Bruni P.

Hofer O., Weissensteiner W.: Conformational analysis of 5-H-dibenzo[a,d]cycloheptene derivatives with flexible amino substituted side-chains by means of lanthanide induced shifts (LIS). Conformational analysis of highly flexible structures, Part III 1045

Hofer O., Wurz G.: Lanthanide induced shifts of aromatic 1,2,3-trimethoxy compounds. Conformational analysis of tetrahydrofurofuran lignans in solution 105

Hofer O., s. Kleinpeter E.

Holzer W., s. Györgydeák Z.: On the structure of guanylhydrazones derived from aromatic aldehydes 1063

Holzer W., Jäger C.: On the discrimination of tetrazole regiosomers by NOE difference spectroscopy 1027

Hopf H., s. Aly A. A., Bruni P.

Hosztafi S., Berényi S., Tóth G., Makleit S.: Morphine alkaloids, Part 114. A stereohomogeneous synthesis of N-demethyl-N-substituted-14-hydroxydihydromorphines 435

Hoz A. de la, Pardo C., Elguero J., Jimeno M. L.: The benzene rings as a dipolarophile. Reactions of monosubstituted benzenes with tetracyanoethylene oxide 99

Hunter G., s. Barnes J. C.

Hvastijová M., Kohout J., Köhler H.: Strukturelle Charakterisierung der Dicyanamid-Komplexe von Kupfer(II), Nickel(II) bzw. Kobalt(II) mit Aminopyridinen 493

İkizler A. A., Sancak K.: Synthesis of 4-hydroxy-4,5-dihydro-1,2,4-triazol-5-ones 257

İkizler A. A., Yüksek H., Bahçeci S.: $^1\text{H-NMR}$ spectra of some ditriazolyls and ditriazolylalkanes 191

Ipser H., Mikula A.: On the ternary B2-phase in the Al-Co-Ga system 509

Ipser H., s. Terzieff P.

Iqbal N., Ueno Y.: Synthesis of crowned phenothiazine derivatives 199

Iqbal N., Ueno Y.: Synthesis of crowned phenoxazine derivatives 655

Iqbal N., Ueno Y.: The synthesis of crowned phenoselenazinone derivatives 849

Ismail N. A., s. Abou-Elenien G. M.
Izquierdo C., Moyá M. L., Usero J. L., Casado J.: Estimation of the aggregation number and core radius of microemulsions 383

Jäger C., s. Holzer W.
Jakubke H.-D., s. Kuhl P.
Jameson R. F., s. Strauß B.
Jamrozik J., Źeslawski W.: Eine neue Synthese von Bis-Propellanen: 1,2,4,5-Bis{8',11'-di-oxa[4.3.3]propella(3',4')}-benzen. 8. Mitteilung über Propellane 129

Jaworski J. S., Krawczyk I.: Comparison of spectroscopic and electrochemical studies of disproportionation equilibria of 1,3,5-triphenylverdazyl radicals in *DMF* containing carboxylic acids 43

Jedlicka R., s. Kirchner K.
Jenichen A.: Ab initio calculation of silicon-halogen-silicon double bridges 17

Jeschke H., s. Griehl C.
Jimeno M. L., s. Hoz A. de la
Joshi S. C., Trivedi K. N.: A study of the Claisen rearrangement of 7-(3-phenyl-2-propenoxy)-3-phenyl-(4H)-1-benzopyran-4-one derivatives 557

Jovanović L. S., Ević N. J., Bjelica L. J., Abramović B. F., Gaál F. F., Rehák N. L.: Voltammetric and titrimetric study of acid-base properties of some μ -oxo dimeric iron(III) complexes in *DMF* 1071

Junek H., Biza P., Geringer M.: Diphenyldiaza-18-krone-6-bis-pyrazoliden-acetonitril, ein neuer Chromionophor. Syntheses with nitriles, XC 581

Kaatz C., s. Weber F. G.
Kaczmarek K., s. Gałdecki Z.

Kalchhauser H., Kriech M., Ahorn H., Sommergruber W.: Complete ^1H and ^{13}C NMR spectroscopic assignment of two pentadecapeptides by reverse C,H correlation techniques 757

Kalchhauser H., s. Beyer A., Kleinpeter E.
Kalinowski M. K., s. Lada E., Mizerski W.
Kappe T., s. Hennig L., Stadlbauer W.
Kastner F., s. Brandl G., Otočan K.
Keller W., s. Barnes J. C.
Kirchner K., Jedlicka R., Schmid R.: ^1H -NMR and electrochemical studies on ligated iron(III) perchlorates in acetonitrile- d_3 203

Kjaersgaard U., s. El-Torgoman A. M.
Klán P., Beňovský P.: Phase-transfer catalyzed synthesis of 2-propenyl esters of carboxylic acids 469

Klein J., Thunecke F., Borsdorf R.: ^{119}Sn - NMR-spektroskopische Untersuchungen an Tri-*n*-butyl-zinnderivaten von N-Acetylaminosäuren 801

Kleinpeter E., Hartmann J., Schroth W., Hofer O., Kalchhauser H., Wurz G.: Synthesis and conformational behaviour of ditosyldiazab[2.2]-orthometacyclophanes 823

Kleinpeter E., s. Griehl C., Ströhl D.
Köhl M., Spreitzer H., Fleischhacker W.: Reaktionen von (-)-Ephedrin bzw. (+)-Norpseudoephedrin und Derivaten mit N,N-Dimethylacetamid-dimethylacetal und N,N-Dimethylformamid-dimethylacetal 911

Köhler H., s. Hvastijova M.
Kohout J., s. Hvastijová M.
Kök T. R., s. Fabian W. M. F.
Kollenz G., s. Fabian W. M. F., Riedl Z.
Köppel H., s. Weber F. G.
Koprivanac S., s. Sušnik I.

Kotočová A.: Influence of tetraalkylammonium ions on structure of nonaqueous solvents 709

Kotočová A., s. Labuda J.

Kowalska J. A., s. Epsztajn J.

Krawczyk I., s. Jaworski J. S.

Kreisel G., Rudolph G., Schulze D. K.-W., Popplitz W.: Bromierte Diphenylether — eine entscheidende Zwischenstufe auf dem Weg zu synthetischen Schmierstoffen 1053

Kriech M., s. Kalchhauser H.

Krischner H., s. Mautner F. A.

Krutosikova A., Dandarova A., Chylova J., Vegh D.: Condensed O,N-heterocycles by transformation of azidoacrylates 807

Kuhl P., Säuberlich S., Jakubke H.-D.: Model studies on protease-catalyzed peptide synthesis using 9-fluorenylmethoxycarbonyl protected amino acid derivatives 1015

Kurzwart M., s. Brunner H.

Kuš P., s. Śliwiok J.

Labuda J., Tarapčík P., Kotočová A., Šima J.: Ligand-structure effect on electrochemical reduction of copper(II) complexes 693

Lada E., Lei X., Kalinowski M. K.: Electrochemical study of 18-crown-6-Tl⁺ complexes in binary solvent mixtures 425

Lanziner A. H., s. Oefner P. J.

Laschober R., s. Stadlbauer W.

Lasinger J., s. Sušnik I.

Lazarević Z., Vorkapić-Furač J., Mühl J.: β -Tricarbonyl compounds, I. 2,4-Disubstituted 1,3-cyclopentanediones 1175

Lee S. A., s. Párkányi C.

Lei X., s. Lada E.

Leplawy M. T., s. Gałdecki Z.

Lévai A.: Synthesis of 2,2-dimethylchromans by the hydrogenation of 2,2-dimethyl-2H-chromenes 461

Lévai A., Ott J., Snatzke G.: Oxazepines and Thiazepines, XXIV. Synthesis of optically active 2,3-dihydro-2-methyl-1,5-benzoxazepin-4(5H)-ones 919

Likussar W., s. Schubert-Zsilavec M.

Linert W., s. Strauß B.

Lis S., s. Plaziak A. S.

Longdon P. J., s. Chingakule D. D. K.

Luciak B., s. Gałdecki Z.

Lutschounig H., s. Stadlbauer W.

Mabrouk H. E., s. Gaber M.

Majdan M., Sadowski P.: Complexation of lanthanide nitrates 987

Makleit S., s. Hosztáfi S.

Mann G., s. Hennig L.

Mannschreck A., s. Brandl G., Otočan K.

Maurelli E., s. Cardillo B.

Mautner F. A., Krischner H.: Kristallstrukturen von drei Addukten des Zinkazids mit Dimethylpyridinen 325

Mayer H., Mereiter K.: Crystal structure of K₃SbS₄·4½ H₂O 515

Mazunaitis G., s. Henning H.-G.

Mereiter K., s. Mayer H.

Messmer A., s. Riedl Z.

Meyer A., Schlögl K.: Chirality due to deuterium substitution: Synthesis and circular dichroism of (+)(R)_p-2,7-dideutero-1,6-methano[10]annulene 465

Meyer J., s. Falk H.

Michelitsch A., s. Schubert-Zsilavec M.

Mikula A., s. Ipser H.

Milićev S., s. Bajc I.

Milosavljević E. B., s. Pollema C. H.

Mineshos G., Glavas S., Schurath U.: Reactions of peroxyacetyl radicals with reduced sulfur compounds 501

Mintas M., s. Otočan K.

Mizerski W., Kalinowski M. K.: Electrostatic potentials of molecules and prediction of the Lewis acid-base properties of solvents, I. General Considerations 665

Mizerski W., Kallinowski M. K.: Electrostatic potentials of molecules and prediction of the Lewis acid-base properties of solvents, II. Application of electrostatic parameters 675

Mohamed S., s. El-Kot A. M.

Mohamed Y. S., s. Aly A. A.

Mohareb R. M.: Phenyl isothiocyanate in heterocyclic synthesis: Novel synthesis of thiazoles, thieno[2,3-*b*]pyridine, thiophene and thieno[3,2-*c*]pyridazine derivatives 341

Motawia M. S., s. El-Torgoman A. M.

Mourad A.-F. E., s. Aly A. A.

Moustafa M. E., Zaky M., El-Khososy N. A.: Synthesis and characterization of some lanthanide(III) chelates of Schaffer acid azo dyes 687

Moyá M. L., s. Izquierdo C.

Mühl J., s. Lazarević Z.

Myers R. T.: Is VSEPR valid? 363

Neidlein R., Eichinger T.: Substituierte Methylphosphonate als Synthone für alicyclische α -funktionalisierte Phosphonate 1037

Nelson J. H., s. Pollema C. H.

Nitzsche R., Röbisch G.: Zur Kinetik der Reaktion von Aluminium(III) mit Chromotropsäure in wäßrigem Chloressigsäure-Medium 291

Nitzsche R., Röbisch G.: Zur allgemeinen Säure-Base-Katalyse bei der Reaktion von Aluminium(III) mit organischen Chelatbildnern in wäßriger Lösung 301

Oberreiter M., s. Falk H.

Oefner P. J., Lanziner A. H., Bonn G., Bobleter O.: Quantitative studies of furfural and organic acid formation during hydrothermal, acidic and alkaline degradation of *D*-xylose 547

Oluwadiya J. O., s. Reisch J.

Osman A. H., Aly A. A. M.: Photooxidation of bis(ethylxanthato)-nickel(II) containing aromatic nitro-
gen heterocyclic ligands in chloroform 309

Otočan K., Mintas M., Kastner F., Mannschreck A., Golen J. A., Williard P. G.: Regiospecific synthesis and structural study of some trifluoromethyl substituted dibenzosemibullvalenes 1193

Ott J., s. Lévai A.

Ott R., Pinter E.: Zur Synthese und Struktur der *p*-Indazolchinone und ihrer Methylierungsprodukte. Untersuchungen über Chinone, 8. Mitt. 713

Ott R., s. Schubert-Zsilavec M.

Panalotova M., Takeva R., Parlapanski M., Shishkova L.: Influence of the Medium upon the rate of complexing of In^{3+} and Ga^{3+} 891

Pardo C., s. Hoz A. de la

Párkányi C., Yuan H. L., Sappok-Stang A., Gutiérrez A. R., Lee S. A.: Improved synthesis of several methoxynitronaphthalenes 637

Parlapanski M., s. Panaiotova M.

Pasinsziki T., Réffy J., Veszprémi T.: Photoelectron spectroscopic investigation of phenyl isocyanato silanes 949

Paton J. D., s. Barnes J. C.

Pedersen E. B., s. El-Torgoman A. M., Walczak K.

Pinter E., s. Ott R.

Plaziak A. S., Lis S., Elbanowski M.: Positive/negative liquid secondary ion mass spectrometry of *Ln-EDTA* (1:1) complexes. Formation of molecular ion adducts with neutral species of the matrix or *Ln-EDTA* 225

Pollema, C. H., Milosavljević E. B., Hendrix J. L., Solujić L., Nelson J. H.: Photocatalytic oxidation of aqueous ammonia (ammonium ion) to nitrite or nitrate at TiO_2 particles 333

Pombeiro A. J. L., Richards R. L.: Preparation of bisdiazoalkane and related complexes from the reactions of diazo compounds with the dinitrogen complexes *trans*- $[M(N_2)_2(Ph_2PCH_2CH_2PPh_2)_2]$ ($M = Mo$ or W) 749

Poppitz W., s. Kreisel G.

Proksa B., Uhrinová S., Adamcová J., Fuska J.: Hydrogenation of vermistatin 251

Prónayová N., s. Al-Timari U. A. R.

Rabla M. K. M.: Voltammetric reduction study on 2-(4'-N,N-dimethylaminostyryl)-1-ethyl pyridinium iodide in *DMF* 977

Radeglia R., s. Ströhli D., Weber F. G.

Redliński A. S., s. Gałecki Z.

Réffy J., s. Pasinsziki T.

Rehák N. L., s. Jovanović L. S.

Reimann E., Benend H.: Synthese von Dibenzo[a,g]chinolizinen — Ein neuer Zugang zu Protoberberinen 939

Reisch J., Usifoh C. O., Oluwadiya J. O.: Acetylenic chemistry, XX. Ring opening of 3-azaisatoic anhydride with acetylenic amines: Synthesis of pyrido[2,3-d]pyrimidinones 247

Reisch J., Voerste A. A. W., Top M., Dziemba P.: Acetylene Chemistry, XXII. Synthesis of noracronycine and some of its analogs via Mitsunobu-reaction 473

Rey E. S., s. Callahorro C. V.

Richards R. L., s. Pombeiro A. J. L.

Richter B., s. Fleischhacker W.

Riedl Z., Hajós G., Kollenz G., Sterck H., Messmer A.: Synthesis and ring transformation of novel tetracyclic fused *as*-triazines 1181

Röbisch G., s. Nitzsche R.

Rossmannith K., s. Unfried P.

Roumelis N., Glavas S.: Thermal decomposition of peroxyacetyl nitrate in the presence of O_2 , NO_2 , and NO 63

Rudolph G., s. Kreisel G.

Rüger V., s. Fritz H. P.

Sabin F., Vogler A.: Luminescence of dimeric $Tl(I)$ -complexes: metal-metal interaction in the electronically excited state 705

Sadowski P., s. Majdan M.

Sahadev, Sharma R. K., Sindhwan S. K.: Physico-chemical studies on the chelation behaviour of biologically active 2-hydroxy-1-naphtaldehyde semicarbazone (*HNAS*) with some lanthanons 25

Sahadev, Sharma R. K., Sindhwan S. K.: Potentiometric studies on the complexation equilibria between some trivalent lanthanide metal ions and biologically active 2-hydroxy-1-naphthaldehyde thiosemicarbazone (*HNATS*) 883

Sahadev, Sharma R. K., Sindhwan S. K.: Stabilities of some bivalent transition metal ions with 2-hydroxy napthaldehyde derivatives in dioxane-water mixtures: a potentiometric study 1099

Sancak K., s. İkizler A. A.

Sappok-Stang A., s. Párkányi C.

Säuberlich S., s. Kuhl P.

Schindler G., s. Stadlbauer W.

Schlögl K., s. Meyer A.

Schmid R., s. Kirchner K.

Schmitzberger W., s. Falk H.

Schönherr S., s. Brendler E.

Schoppel G., s. Falk H.

Schramm H. W., Belaj F.: Über Reaktionen von Acrylbiguaniden mit Benzoin beim *pH* der Biguanidbasen 237

Schramm H. W., Schubert-Zsilavecz M., Belaj F.: Über Synthese und Struktur des *p*-Tolylbiguanid-Zimtaldehyd-Kondensats in ethanolischer Salzsäure-Erratum 663

Schroth W., s. Kleinpeter E.

Schubert-Zsilavecz M., Belaj F., Ott R.: Zur Umsetzung von 8a-Meth-

oxy-3,4-dihydro-2*H*-1,4-benzoxazin-6(8a*H*)-onen mit Diazoalkanen, 2. Mitt. 899

Schubert-Zsilavec M., Michelitsch A., Likussar W.: Elektrochemische Eigenschaften von 6-Methoxy-2,5-dimethyl-2*H*isoindol-4,7-dion, einem antimikrobiell wirksamen Alkaloid aus *Reniera*-Arten 1223

Schubert-Zsilavec M., s. Schramm H. W., Schweiger K.

Schulze D. K.-W., s. Kreisel G.

Schurath U., s. Mineshos G.

Schweiger K., Schubert-Zsilavec M., Weis R., Belaj F.: 1,2-Thiazole durch Ringtransformationen von 2*H*-Thiopyran-2-thionen 133

Ścianowski, J., s. Epsztajn J.

Seidel W., s. Weinzierl U.

Sharma R. K., s. Sahadev

Shishkova L., s. Panaiotova M.

Sigit Goetz-Grandmont G. J., Brunette J.-P.: Synergistic extraction of cadmium and cobalt with mixtures of 4-stearol-pyrazol-5-ol and tri-*n*-octylamine in toluene 373

Šima J., s. Labuda J.

Sindwani S. K. s. Sahadev

Singh K., Tandon J. P.: Synthesis and structural studies of complexes of Sb(III) and Bi(III) with thiosemicarbazones 315

Singh K., Tandon J. P.: Synthesis and spectroscopic studies of Sb(III) and Bi(III) complexes of semicarbazones 983

Śliwiok J., Kuś P.: Tetraphenylporphyrins monosubstituted with glycerol diester units. Synthesis and characterization 1149

Snatzke G., s. Lévai A.

Sobczynski A.: Preparation and photocatalytic properties of silica-supported fine CdS powders 211

Solodin I.: 5-Substituted (5*S*)-imidazolidin-4-ones as effective chiral auxiliary for hydrogenation of α -keto amides 565

Solujić L., s. Pollema C. H.

Sommergruber W., s. Kalchhauser H.

Spreitzer H.: A study on the structure/odour relationship of norpatchoulenol and patchoulol, II 587

Spreitzer H.: Synthese und Geruch von Tricyclo[6.2.2.0^{2,7}]dodecan-Derivaten 593

Spreitzer H., s. Köhl M.

Stadlbauer W., Laschober R., Lutschounig H., Schindler G., Kappe T.: Halogenation reactions in position 3 of quinoline-2,4-dione systems by electrophilic substitution and halogen exchange 617

Sterck H., s. Riedl Z.

Storch M., s. Gustav K.

Strauß B., Linert W., Gutmann V., Jameson R. F.: Spin-crossover complexes in solution, I. Substitutional lability of [Fe(bzimpy)₂](ClO₄)₂ 537

Ströhl D., Thomas S., Kleinpeter E., Radeglia R., Brunn J.: ¹³C-NMR-Untersuchungen von Substituenteneffekten in mehrfach substituierten Benzen- und Naphthalenverbindungen: Inkrementberechnungen der ¹³C-chemische Verschiebungen 769

Ströhl D., s. Griehl C.

Sušnik I., Vorkapić-Furač J., Duraković S., Koprivanac S., Lasinger J.: Synthesis of some Schiff bases of 3-aryl-6-aryl-4-hydroxy-2*H*-pyran-2-ones 817

Světlík J.: Transformations starting from biotechnologically available materials, Part 2. First example of a direct conversion of spirooxiranes into enamines 145

Takeva R., s. Panaiotova M.

Tandon J. P., s. Singh K.

Tarapčík P., s. Labuda J.

Taraz K., s. Geisen K.

Teczan M., s. Fabian W. M. F.

Terzieff P., Ipser H.: A contribution to the ternary phase diagram Co-Sb-Te 35

Thiele L.: Kinetik der unkatalysierten Urethanbildung 865

Thiele L.: Konzentrationseffekte in Isocyanat-Alkohol-Systemen 875

Thomas B., s. Brendler E.

Thomas S., s. Ströhl D.

Thunecke F., s. Klein J.

Top M., s. Reisch J.

Toscano R. A., s. Cea-Olivares R.

Tosi G., s. Bruni P., Cardillo B.

Tóth G., s. Hosztafi S.

Trivedi K. N., s. Joshi S. C.

Ueno Y., s. Iqbal N.

Uhrínová S., s. Proksa B.

Unfried P., Rossmanith K.: Die chemische Zersetzung von Seltenerd-Nitraten. Eine neue Methode zur Anreicherung schwerer Yttererdnitrate im kg-Maßstab 1

Urban E., s. Edelsbacher A.

Usero J. L., s. Izquierdo C.

Usifoh C. O., s. Reisch J.

Valdés-Martínez J., s. Cea-Olivares R.

Vegh D., s. Krutosikova A.

Veszprémi T., s. Pasinsziki T.

Voerste A. A. W., s. Reisch J.

Vogler A., s. Sabin F.

Volavšek B., s. Bajc I.

Vorkapić-Furač J., s. Lazarević Z., Sušnik I.

Walczak K., Wengel J., Pedersen E. B.: Synthesis of 1-[3-(1,2,4-triazol-1-yl)-2,3,6-trideoxy-*L*-arabinohexofuranosyl]uracils via an α,β -unsaturated aldehydohexose 349

Weber F. G., Kaatz C., Radeglia R., Köppel H.: Substituenteneffekte in den ^{13}C -NMR-Spektren von diastereomeren Chalkondihalogeniden, 359

10. Mitt.: Erste Synthese und Konfigurationsbestimmung von *threo*-Chalkonbromhydrinen 81

Weidenauer W., s. Edelsbacher A.

Weinzierl U., Seidel W.: Die Trifluor-methylsulfonate der Dimethylsilyether als Zwischenstufen für Silylschutzgruppen 369

Weis R., s. Schweiger K.

Weissensteiner W.: Conformation and internal mobility of 5*H*-di-benzo[a,d]cycloheptene derivatives in solution. Conformational analysis of highly flexible structures, Part II 785

Weissensteiner W.: Correlated rotation of acryl substituents in diarylmethyl-, diarylphosphine- and related fragments. An empirical force field study 1135

Weissensteiner W., s. Barnes J. C., Hofer O.

Wengel J., s. Walczak K.

Williard P. G., s. Otočan K.

Winiwarter S., s. Becker A.

Wittmann H.: Über Reaktionen mit Betain, 25. Mitt.: Zur Chemie von Betainen aus Dihetero-alkanen 1207

Wolschan P., s. Becker A., Beyer A.

Wurz G., s. Hofer O., Kleinpeter E.

Yuan H. L., s. Párkányi C.

Yüksek H., s. İkizler A. A.

Zaki M. T. M., Hafez N., El-Sayed A. Y.: Complexation reactions of cerium(III) and (IV) with 9-phenyl-2,3,7-trihydroxy-6-fluorone in the presence of cationic surfactants 477

Zaky M., s. Moustafa M. E.

Żesławski W., s. Jamrozik J.

Zinner H., s. Brandl G.

Sachverzeichnis/Subject Index

Ab initio method 17
Absolute configuration, oxazepines 919
N-(2-Acetamido) imino diacetate complexes 1107
Acetoanilides, polarography 217
N-Acetyl amino acids 801
3-Acetyl-1,5,5-trimethyl-2,4-pyrrolidindione 93
2-Acetyl-5,5-dimethyl-1,3-cyclohexanedione 93
N-Acetyl-diethylglycine-*N'*-methylamide, X-ray 993
Acetylenic amines 247
Acid-base properties 1071
Acidic compounds, CH – 571
Acidity 665, 675
Acridone alkaloids 473
Activation parameters 865
4-Acyl-5-pyrazolols 373
Addition/elimination reaction 571
Aggregation number, microemulsions 383
Aldehydohexose, α, β -unsaturated 349
Alkaloid, isoindol- 1223
Alkaloid/Cu(I) catalysis 121
Alkaloids, acridone type 473
Alkohol protective group 369
5-Alkoxy-2-thiouracils 355
Alkylation 1181
 α -Alkylation 593
N-Alkylation 599, 607
Aluminium(III) chelates 301
Aluminium(III), reaction 291
Aluminium-Co-Ga B2 phase 509
Am1 calculations 949, 999, 1181
Amino acid derivatives, *Fmoc*-protected 1015
Amino acids, *N*-acetyl 801
3-Amino-selenophenes 455
3-Amino-thiophenes 455
Aminopyridines 493
Ammonia, photocatalytic oxidation 333
Amperometry, three-electrode – 1071
Aniline 817
Annelation effect 1181
[10]Annulene, 2,7-dideutero-1,6-methano 465
Antidepressants, tricyclic 785, 1045
Antimonate 4.5 hydrate, potassium tetrathio-, X-ray 515
Antimony(III) complexes 315, 983
Antimony-Co-Te, ternary phase diagram 35
Antitumoral activity 487
Aqueous solution, Al(III) chelates 301
3-Aroyl-6-aryl-4-hydroxy-2*H*-pyran-2-ones 817
Aryl methyl ketone 1175
Arylalkylidene-dipyrrinones 779
Arylbiguanides, reaction with benzoin 237
5-Arylidene-2-thiohydantoin 1117
Arylureas 607
 α -Aspartyl peptides 647
Association, alcohol/urethane 865, 875
Asymmetric hydrogenation 565
3-Azaisatoic anhydride, ring opening 247
Azide solutions 521
Azides, X-ray 325

3'-Azido-2',3'-dideoxy-2-thiouridines 355
 Azo dyes 687
 Azomethines, reactions 571
 B2 phase Al-Co-Ga 509
 Barrelene, dibenzo- 1193
 Basicity 665, 675
 Benzaldehyde guanylhydrazones 1163
 Benzene derivatives, as dipolarophile 99
 Benzenes, C-13 increments 769
 Benzo[b]furo[3,2-c]pyridine 807
 Benzoin, reaction with arylbiguanides 237
 Benzopyran-4-ones 557
 Benzothiazepines 1023
 1,5-Benzoxazepines 919
 2*H*-Benzoxazin-6(8*aH*)-ones 899
 4-Benzoyl-5-phenylfuran-2,3-dione 265
 Bicyclo[2.2.2]octane derivatives 593
 Bilindione, vinylogous 1213
 Binary solvent mixtures 425
 Bis(2-acetylcycloalkanato)copper(II) 1081
 Bis(2-trifluoroacetyl)cycloalkanato)-copper(II) 1081
 2,6-Bis(benzimidazol-2'-yl)pyridine 537
 Bis(ethylxanthato)nickel(II) mixed ligand complexes 309
 Bis-propellanes 129
 Bis[8',11'-dioxa[4.3.3]propella-(3',4')]benzol 129
 Bismuth(III) complexes 315, 983
 Bivalent metal ion 1099
 Bond angles, VSEPR 363
t-Butyldimethylsilyl ethers 369
 Butyltin compounds 801
 Bzimpy 537
 Cadmium sulfide, photocatalytic properties 211
 Cadmium(II) complexes 9
 Cadmium, extraction of 373
 Catalysis, Cu(I)/alkaloid 121
 Catalysis, with phosphines 659
 Catalytic hydrogenation 919
 Cerium(III) and (IV) complexes 477
 Chalcone bromohydrines 81
 Charge transfer complexes 73, 179
 Charge transfer, to solvent 309
 Chiral auxiliary 565
 Chirality 465
 Chiroptical detection 1059
 Chlorine, silicon double bridges 17
 Chloro-gallium complexes 285
 β -Chloro- α -cyano-cinnamonnitrile 455
 Chloroacetate buffer 291
 Chlorobenzamides, secondary 1125
 α -Chlorocarbonyl compounds 455
 6-Chloropurine 9
 Chromans 461
 Chromatography, droplet counter-current - 731
 Chromatography, enantioselective 465, 1193
 Chromene synthesis 473
 Chromenes 461
 Chromoionophores, by thermolysis or photolysis 581
 Chromotropic acid 291
 Chymotrypsin 1015
 Circular dichroism 105, 465, 1059
 Citric acid cycle 151
 Claisen rearrangement 557
 Claisen-Eschenmoser-reaction 837
 Cluster model 17
 Cobalt(II) complexes 493, 1089
 Cobalt, extraction of 373
 Cobalt-Al-Ga B2 phase 509
 Cobalt-Sb-Te, ternary phase diagram 35
 Computer aided fragrance design 405
 Configuration, by C13 81
 Conformation, pentadecapeptides 757
 Conformational analysis 105, 443, 785, 823, 993, 1045, 1193, 1213
 Conformational interconversion 1135
 Contact ion pairs 521
 Coordination number 987
 Copper phosphides 397
 Copper(I)/alkaloid catalysis 121
 Copper(II) complexes 9, 487, 493, 693, 1089

Copper(II) complexes of cyclic β -diketones, MS 1081

Copper(II)-hydrazide complexes 231

Coralynes, deoxygenated 939

Correlated rotation 1135

Coupled oscillator model 105

Crown ether complexes 425

Crown phenothiazine derivatives 199

Crowned phenoselenazinones 849

Crowned phenoxazines 655

Cyclic voltammetry 977

Cyclization, aminocarboxylic acids 919

Cyclization, intramolecular 939

Cyclization, oxidative – 133

Cycloaddition, 1,3-dipolar 899

Cycloalkylation 1037

14,17-Cycloethanocodeinone 837

Cycloheptene, dibenzo[a,d]- 1045

Cyclohexene, photocycloaddition 93

Cyclooctadecane, 7,16-diphenyl-1,4,10,13-tetraoxa-7,16-diaza- 581

cis-Cyclooctene-arene-metal carbonyls 443

Cyclopentanediones, 2-aryl-4-aracyl-1,3- 1175

Cyclopentadecano[2,3-a]phenoselenazin-16-one, penta-oxa- 849

Cyclophane, dihetero[2.2]orthometata 823

Cyclophanes, complexes 179

Cyclovoltammetry 1223

Cytotoxicity 487

Decarboxylation 121

Degradation of D-xylose 547

Demethyl-14-hydroxydihydromorphines 435

Deprotonation 277, 537

Deuterium substitution 465

Diacetoxy-epoxy-morphinane 435

1,2-Diacylglycerols 1149

Dialkyldithiocarbamatethallium(I) 705

Diastereoselective synthesis 741

Diazoalkane complexes 749

Diazoalkanes, cycloaddition 899

Dibenzo[a,d]cycloheptene derivatives 1045

Dibenzo[ag]-8-quinolizinones 939

Dibenzobarrelene 1193

Dibenzosemibullvalene 1193

Dibenzoyl acetic acid-*N*-carboxyamides 265

Dicarbonyl(*cis*-cyclooctene)[triethyltris(trimethylsilylmethyl)-benzene]molybdenum(0), X-ray 443

Dicyanamide complexes 493

Dicyanomethylene-pyrazolinone 581

(+)-2,7-Dideuterio-1,6-methano[10]-annulene, CD 465

Diethyl maleate 1175

Difference spectroscopy 1027

Dihetero[2.2]orthometacyclophane 823

2,3-Dihydro-1,5-benzothiazepin-4-amine 1023

3,4-Dihydro-2*H*-benzoxazin-6(8*aH*)-ones 899

β -Diketones, Cu(II) complexes, MS 1081

2,2-Dimethyl-2*H*-chromenes 461

N,N-Dimethylacetamid-dimethylacet al 911

5-Dimethylamino-3-(2-methyl-1-propenyl)-1,2-thiazole, X-ray 133

2-(4'-*N,N*-Dimethylaminostyryl)-1-ethyl pyridinium 977

N,N-Dimethylformamid-dimethylacet al 911

Dimethylformamide 977

Dimethylpyridine 325

Dinitrogen complexes 749

Dinotronaphthols 637

Diphenyl ether, brominated 1153

7,16-Diphenyl-1,4,10,13-tetraoxa-7,16-diaza-cyclooctadecane 581

1,3-Dipolar cycloaddition 99, 899

1,3-Dipolar cycloaddition, of chiral nitrones 999

Dipolarophile, benzene derivatives 99

Dipyrrinone, vinyllogous 1213

Dipyrrinones, arylalkylidene- 779

Disproportionation equilibrium 43

Distribution coefficients 987

1,3-Dithianium acetic acid betaine 1207
 Ditriazolylalkanes, $^1\text{H-NMR}$ 191
 Ditriazolyls, $^1\text{H-NMR}$ 191
 Droplet counter-current chromatography 731
 Durene 129
 Dynamic NMR-spectroscopy 823

Electrochemical polarization 965
 Electrochemical properties, alkaloid 1223
 Electrochemical reduction 693, 977
 Electrochemistry 1089
 Electrode field effect 43
 Electrodeposition 397
 Electrolyte solutions 521
 Electronic spectra 687
 Electronically excited state 705
 Electrophilic substitution 1125
 Electrostatic interactions 665, 675
 Emodin anthrone 931
 Empirical force field method 785
 Emulsions 383
 Enamines 145
 Enantioselective chromatography 465, 1193
 Enantioselective hydrogenation 659
 Enantioselectivity 121
 Enols, stable 1175
 Enthalpy 521
 Entropy 521
 Enzymatic peptide synthesis 1015
 (–)-Ephedrine 911
 Epoxides 81
 Equilibrium $\text{Tl}_2\text{O}_3 - \text{SeO}_3 - \text{H}_2\text{O}$ 701
 Esr spectra 493
 Ester ethoxycarbonylhydrazones 257
 Esterification, phase transfer catalyzed 469
 Etching 17
 Excited state 277
 Exciton model calculation 105

Ferric hydrogenselenite(IV) selenate(VI) monohydrate, X-ray 957
 Flavour 593
 Flip mechanism 1135

9-Fluorenylmethoxycarbonyl protected 1015
 Fluorination 617
 Fluorine, silicon double bridges 17
 Fluorone, 9-phenyl-2,3,7-trihydroxy-6- 477
 Fluorotitanate, hydroxylammonium – 321
 Fmoc-protected amino acid derivatives 1015
 Force field calculations 105, 785, 1045, 1135
 Fragrance design 405
 Furfural, from *D*-xylose 547
 Furo[3,2-*b*;4,5-*b*']dipyrroles 807

Gallium(III) complexes 891
 Gallium-Al-Co B2 phase 509
 Gallium-chloro complexes 285
 Garlicin 741
 Garuganin 417
 Gas chromatography, on Chirasil-L-Val 659
 Gas chromatography 1153
 Glycerol ethers 1149
 Gold(II) complexes 9
 Ground state 277
 Guanidine, 2-[1-aryl-5-oxo-4,4-diphenyl-2-imidazoline-2-yl]-, X-ray 237
 Guanylhydrazones 1063

Half-wave potential 203, 693, 709
 Halogen, silicon double bridges 17
 Herzberg-Teller approach 59
 Heterocyclic aldehydes 315, 983
 Hexahydropyrazolo[3,4-*h*][1,4]benzoxazin-6(2*H*)-ones, X-ray 899
 Hydration sheath 987
 Hydrazide-Cu(II) complexes 231
 Hydrazides 257
 Hydrazones, complexes 73
 Hydrogen bond 515
 Hydrogenation 461
 Hydrogenation, Pd/C 251
 Hydrogenation, asymmetric 565
 Hydrogenation, catalytic 919
 Hydrogenation, enantioselective 659

Hydrolysis, rare earth nutrates 1
 Hydroxamic acid ethoxycarbonylhydrazides 257
 2-Hydroxy-1-naphthaldehyde derivatives 1099
 2-Hydroxy-1-naphthaldehyde semicarbazone 25
 2-Hydroxy-1-naphthaldehyde thiosemicarbazone 883
 2-Hydroxy-1-naphthol-4-aminoantipyrine complexes 1089
 4-Hydroxy-2(1*H*)-quinolones 617
 16-Hydroxy-2,5,8,11,14-pentaoxacyclopentadecanophenothiazine 199
 4-Hydroxy-4,5-dihydro-1,2,4-triazol-5-ones 257
 1-Hydroxy-benzo[ij]quinolizine-3-ones 617
 Hydroxylammonium fluorotitanate 321
 Hydroxyphenanthroperylenes 277
 Hypericin 277, 931
 Hypericin, "soluble" 731
 Hypericin, potassium salt 731
Hypericum perforatum L. 731

Imidazo[2,1-d][1,5]benzothiazepines 1023
 Imidazoles 237
 Imidazolin-4-one 565
 Increments, C-13 769
 Indazolquinones 713
 Indium(III) complexes 391, 891
 Indolin-1-ones, 2,3-dihydro-1*H*-iso-1125
 Inept 769
 Inorganic rings 391
 Ion adducts, MS 225
 Ion pairs 521
 Ir, s. Vibronic spectra
 Iron(III) complexes 203, 1071
 Iron, passivation 965
 Isobenzofuranone 741
 Isocoumarins, 3,4-dihydro- 1125
 Isocyanates, silicon - 949
 Isohypericin 931
 Isoindole derivatives 1223
 Isotachophoresis 547

α-Keto amide 565
 Keto-enol tautomerism 265
 Ketopantolactone 659
 Kinetics, Al(III) and chromotropic acid 291
 Kornblum rule 599

Lactones 741
 Lanthanide cations *EDTA* complexes, MS 225
 Lanthanide complexes 883
 Lanthanide induced shifts 105, 785, 1045
 Lanthanide nitrate complexes 987
 Lanthanide(III) chelates 687
 Lanthanone 25
 Lattice parameter, Al-Co-Ga 509
 Lattice parameter, Co-Sb-Te 35
 Lead(II) *N*-(2-acetamido) imino diacetate complexes 1107
 Leukemia P 388 251
 Lewis acid-base properties 665, 675
 Ligand exchange 203
 Ligand field spectra 493
 Lignans, tetrahydrofurofuran - 105
 Linear oligopyrroles 779
 Liquid chromatography, optically active 1059
 Liquid secondary ion mass spectrometry 225
 Lithiation 1125
 Lubricants, synthetic 1153
 Luminescence 705

Macrocycle, hetero 199
 Macroyclic biaryl ether 417
 Magnetic moments 493
N-Maleylamino acid derivatives 647
 Malonic acid derivatives 121
 Mass spectra, Cu(II) complexes of cyclic β -diketones 1081
 Mass spectrometry, liquid secondary ion 225
 Matrix effect, MS 225
 Mesityldimethylsilyl ethers 369
 Metal-metal interaction 705
 Methano[10]annulenes 465
 Methoxynitronaphthalenes 637

8-Methyltetrahydro-protoberberines 939
 Michael type addition 349
 Microemulsions 383
 Mitsunobu etherisation 473
 Mixed ligand complexes, bis(ethylxanthato)nickel(II) 309
 MNDO calculations 607, 665
 Molecular association 73
 Molecular complexes 179
 Molecular complexes, hydrazides-Cu(II) 231
 Molecular dynamics 417
 Molecular geometry, VSEPR 363
 Molecular ion adducts, MS 225
 Molecular modeling 417
 Molecular shape 405
 Molecular surface comparison 405
 Molybdenum dinitrogen complexes 749
 Morphinane 435
 Morphine alkaloids 435
 N-substituted ureas 599, 607
 Naphthalenes, C-13 increments 769
 Naphthalenes, methoxynitro- 637
 Nickel(II) complexes 493, 1089
 Nickel-As-type phase 35
 4-(2-Nitrobenzyl)furo[3,2-b]pyrroles 807
 Nitronaphthylamines 637
 Nitrones, dipolar cycloaddition 999
 Nmr spectroscopy, dynamic 823
 Nmr, C-13 81, 133, 731, 757, 769, 837, 1027, 1063
 Nmr, Ga-71 285
 Nmr, H-1 191, 757, 1063, 1213
 Nmr, Sn-119 801
 Nonaqueous solvents 709, 1117
 Nonlinear optical properties 779
 Noracronycine analogs 473
 Norcodeinone, 14,17-ethano- 837
 Norpatchoulenol 587
 (+)-Norpseudoephedrine 911
 Nuclear Overhauser effect 1027, 1163
 Nucleophilic addition 647
 Nucleophilic ring opening 145
 Nucleophilic substitution 607

Nucleoside synthesis 355
 L-Nucleosides 349
 Oligopyrroles 779
 Optical nonlinear properties 779
 Optical purity, determination 919
 Optical resolution 919
 Organic acids, from D-xylose 547
 Organic chelating reagents 301
 Orthometacyclophane, dihetero[2.2]-823
 1,4-Oxathianium acetic acid betaine 1207
 Oxazepines, 1,5-benz- 919
 Oxazin-2,4-dione 265
 Oxidation, photocatalytic 333
 Oxidative cyclization 133
 Oxiranes, spiro 145
 α -Oxo-thiols 455
 Oxytetracycline complexes 51, 853
 Palladium(II) complexes 9
 Papain 1015
 [2.2]Paracyclophanearylhydrazones 73
 4-([2.2]Paracyclophanoyl)amines 179
 Passivation, iron 965
 Patchoulol 587
 Pentadecapeptides 757
 Pentaoxabicyclo[13.14.0]nonadecadiene 655
 16H-2,5,8,11,14-Pentaoxacyclopentadecano[2,3-a]phenothiazin-16-one 199
 Pentaoxacyclopentadecanophenoxazine 655
 Peptide synthesis, enzymatic 1015
 Peptides, α -aspartyl 647
 Peroxyacetyl nitrate, thermal decomposition 63
 Peroxyacetyl radicals 501
 Perylenes 277
 Phase diagram Al-Co-Ga 509
 Phase state $Tl_2O_3\cdot SeO_3\cdot H_2O$ 701
 Phase transfer 599
 Phase transfer catalyzed esterification 469

9,10-Phenanthrenequinones, enantiomers 1059
 Phenoselenazin-16-one, halogeno-16*H*-pentaoxacyclopentadecano-849
 Phenothiazine crown derivatives 199
 Phenoxazines 655
 9-Phenyl-2,3,7-trihydroxy-6-fluorone, complexes 477
 1-Phenyl-3-methyl-4-stearoyl-pyrazol-5-ols 373
 o-Phenylenediamines 817
 Phosphides 397
 Phosphine fragment, rotation 1135
 Phosphines, for catalysis 659
 Phosphonates 1037
 Photocatalytic oxidation, ammonia 333
 Photocatalytic properties, cadmium sulfide 211
 Photochemical rearrangement 1193
 [2 + 2]-Photocycloaddition 93
 Photoelectron spectra 949
 Photolysis 581
 Photooxidation 309
 Phthalides 1125
 Pi-Acceptors 179
 Pitting 965
 Pka-values, isohypericin 931
 Planar chirality 465
 Platinum(II) complexes 9
 Polarizability, second order 779
 Polarization 965
 Polarography 203, 233, 1107
 Polycyclic compounds 129
 Polydentate ligand 693
 Polyphenyl ethers 1153
 Porphyrines, substituted 1149
 Potassium tetrathioantimonate 4.5 hydrate, X-ray 515
 Potentiodynamic 965
 Potentiometry 25, 51, 883, 1099
 Prins reaction 593
 Propellanes, bis- 129
 2-Propenyl esters 469
 Protease catalyzed peptide synthesis 1015
 Protective group, alkohols 369
 Protoberberines 939
 Protohypericin, potassium salt 731
 Protonation 277
 Protopseudohypericin, potassium salt 731
 Pseudohypericin, potassium salt 731
Pseudomonas fluorescens 151
 Pyoverdins 151
 2*H*-Pyran-2-ones 817
 Pyrazolo[3,4-h][1,4]benzoxazin-6(2*H*)-ones, X-ray 899
 5-Pyrazolols 373
 Pyrene, vibronic spectral behaviour 59
 Pyridine, benzofuro- 807
 Pyridinium, 2-(4',*N,N*-dimethylaminostyryl)-1-ethyl - 977
 Pyrido[2,3]pyrimidinones 247
 Pyrrole pigments 779
 Pyrroles, furo- 807
 Qsar 487
 Quinoline-2,4(1*H*,3*H*)-diones, halogeno- 617
 Quinolizine-3-ones, hydroxybenzo[ij]- 617
 Quinolizinones 939
 Quinolones, hydroxy-2(1*H*)- 617
 Raman spectroscopy 285
 Rare earth nitrates, separation 1
 Rate constant 891
 Reaction rate 891
 Rearrangement, photochemical 1193
 Rearrangements, Claisen - 557
 Rearrangements, sigmatropic 911
 Reduction, electrochemical 693
 Regioisomers, tetrazoles 1027
 Regioselectivity 599, 1181
 Reissert compounds 939
Reniera species 1223
 Reverse technique 757
 Rhinovirus type 2 (HRV 22A) 757
 Ring interconversion, 9-membered ring 823
 Ring opening 81
 Ring opening of 3-azaisatoic anhydride 247

Ring opening, nucleophilic – 145
 Ring transformation 1181
 RNA synthesis inhibition 251
 Salicylal-4-aminoantipyrine complexes 1089
 Sandalwood odor 405
 Schaffer acid azo dyes 687
 Schiff bases 817, 1089
 Second order polarizability 779
 Selenite(IV) selenate(VI) monohydrate, ferric –, X-ray 957
 Selenium oxide – $\text{Ti}_2\text{O}_3 - \text{H}_2\text{O}$ 701
 Selenophenes 455
 Semibullvalenes, X-ray of dibenz- 1193
 Semicarbazone, 2-hydroxy-1-naphthaldehyde 25
 Semicarbazones, complexes 983
 Semiempirical quantum chemical calculations 265
 Siderophores 151
 Sigmatropic rearrangements 911
 Silanes, isocyanate – 949
 Silica supported CdS powder 211
 Silicon isocyanates 949
 Silicon-halogen-silicon double bridges 17
 Silyl protective group 369
 Solubility isotherm
 $\text{Ti}_2\text{O}_3 - \text{SeO}_3 - \text{H}_2\text{O}$ 701
 Solvation, tetraalkylammonium ions 709
 Solvatochromic shift 779
 Solvent effect 665, 675
 Solvent extraction 373
 Solvents 665, 675
 Solvents, nonaqueous 709
 Spectrophotometric titration 277
 Spin crossover 537
 Spirooxiranes 145
 Stannic bromide 81
 Stearyl-pyrazol-5-ols 373
 Structure-odour relationship 587
 Substitutional lability 537
 Sulfur compounds, reduced 501
 Sulfur-ylides, cyclic 1207
 Surfactants, cationic 477
 Sympathomimetic effects 911
 Synergistic effect 373
 Synthesis, diastereoselective 741
 Tautomerism 1213
 Tellurium-Co-Sb, ternary phase diagram 35
 Ternary phase diagram Co-Sb-Te 35
 Tetraalkylammonium ions, solvation 709
 Tetracyanoethylene oxide 99
 Tetracycline complexes 51, 853
 Tetrahydrofurofuran lignans 105
 Tetraphenylimidodiphosphinates 391
 Tetraphenylporphyrine 1149
 Tetraphenylporphyrineglycerol 1149
 Tetrapyrrols linear 1213
 Tetrazoles, N-substituted 1027
 Thallium(I), dialkyldithiocarbamate- 705
 Thallium(III) oxide – $\text{SeO}_3 - \text{H}_2\text{O}$ 701
 Thermal decomposition, peroxyacetyl nitrate 63
 Thermal dissociation 701
 Thermal studies, complexes of 6-chloropurine 9
 Thermochromism 537
 Thermodynamics 521, 709
 Thermolysin 1015
 Thermolysis 581
 Thiazepines 1023
 1,2-Thiazole derivatives, X-ray 133
 Thiazoles 341
 Thieno[2,3-b]pyridine 341
 Thieno[3,2-c]pyridazine 341
 Thioantimonate, X-ray 515
 Thiobenzamides, enantiomers 1059
 Thiocyanate 521
 Thioindazolquinones 713
 Thiophenes 341, 455
 $2H$ -Thiopyran-2-thiones 133
 Thiosemicarbazones 315, 883
 Thiouracils, 5-alkoxy-2- 355
 Thiouridines, 3'-azido-2',3'-dideoxy-2- 355
 Three-electrode amperometry 1071
 Threshold mechanism 1135

Tin, tri-*n*-butyl- 801
 Titanate, hydroxylammonium fluoroo-
 321
 Titanium(IV) oxide 333
 Titrimetric determination, Fe(III)
 1071
p-Tolylbiguanide-cinnamic acid
 condensate, X-ray, Erratum 663
 Transition metals, electrochemistry
 1089
 Tri-*n*-butyltin compounds 801
 Tri-*n*-octylamine 373
 Tri-*n*-octylammonium perchlorate
 373
 Triacetoxyl-epoxy-morphinan 435
as-Triazines 1181
 Triazines 237
 3'-(1,2,4-Triazol-1-yl)-nucleosides 349
 1,2,4-Triazol-5-ones 257
 1,2,4-Triazoles, ¹H-NMR 191
 [1,2,4]Triazolo[3,2-d][1,5]benzo-
 thiazepine 1023
 Tricarbonyl compounds 1175
 Tricyclic antidepressants 785, 1045
 Tricyclo[6.2.2.0^{2,7}]dodecane derivatives 593
 2',3',6'-Trideoxy-*L*-hexofuranose
 nucleosides 349
 Trifluoromethanesulfonates 369
 Trifluoromethylation 1193
 Trimethylemodin anthrone 931
 Triphenylverdazyl radical, disproportionation equilibria 43
 Tungsten dinitrogen complexes 749
 Ultrasound 587
 Ureas, N-substituted 599, 607
 Urethane formation 865, 875
 Valence shell electron pair repulsion
 363
 Van der Waals surface 405
 Vermistatine derivatives 251
 Vibrational spectra 59, 521
 Vibronic spectral behaviour, pyrene
 59
 Vinylous bilindione 1213
 Vinylous dipyrrinone 1213
 Virus 757
 Voltammetric studies 853
 Voltammetry, DC cyclic 1117
 Voltammetry, cyclic 977
 Vsepr 363
 Wynne's theory 391
 X-ray, Acetyl-diethylglycine-N'-meth-
 ylamide 993
 -, Azides 325
 -, Dibenzosemibullvalenes 1193
 -, Dicarbonyl(*cis*-cyclooctene)-
 [triethyl-tris(trimethylsilyl-
 methyl)-benzene]molybdenum(0)
 443
 -, Dimethylpyridine zinc acide ad-
 ducts 325
 -, Ferric hydrogenselenite(IV) sele-
 nate(VI) monohydrate 957
 -, Guanidine, 2-[1-aryl-5-oxo-4,4-di-
 phenyl-2-imidazoline-2-yl]- 237
 -, Hexahydropyrazolo[3,4-h][1,4]-
 benzoxazin-6(2H)-one 899
 -, Potassium tetrathioantimonate
 4.5 hydrate 515
 -, Thiazole, 5-dimethylamino-3-(2-
 methyl-1-propenyl)-1,2- 133
 -, Zinc azides 325
 D-Xylose 547
 Zinc azides, X-ray 325